


## MORE INFORMATION

COVID-19 IS THE INFECTIOUS DISEASE CAUSED BY THE CORONAVIRUS IN HUMANS, VARIOUS CORONAVIRUSES ARE KNOWN TO CAUSE RESPIRATORY INFECTIONS THAT CAN RANGE FROM THE COMMON COLD TO MORE SERIOUS ILLNESSES SUCH AS MIDDLE EAST RESPIRATORY SYNDROME (MERS) AND ACUTE RESPIRATORY SYNDROME. SEVERE (SARS)



### HOW DID IT ARIES?

It probably originated in an animal - most probably the bat - then passing to an intermediate animal and from there, to the human being.


### What to do if you get infected (phone numbers, doubts,)

The main recommendation is hand washing, as a measure to avoid contagion. To perform a complete hand hygiene, remember that it must last at least 40-60 seconds. From health they point out that "you can also use a disinfectant that contains between 60-95 percent alcohol." for more information Contact Blvd. de la Minería # 130; Fracc. Iron door; Pachuca de Soto, Hidalgo, Mexico +52 (771) 273 01 01

### Más información

sitioincreible.mx  
info@sitioincreible.mx  
(33) 1234-5678

# VACCINATION



# PROGRAM IN HIDALGO

4CV1  
LARA MONROY MADIÁN  
ROSALES CAMPOS KARINA  
MIRANDA REVELRES ANDREA VICTORIA

# Measures to avoid COVID - 19



# VACCINES INFORMATION

## Vaccination program (Dates, schedules, more information)

The days and times that correspond to the first letter of the paternal surname, for vaccination against COVID-19 in Tepeapulco.

1. Clean your hands
2. Wear mask
3. Maintain at least a 1-metre distance between yourself and others
4. Stay at home
5. Not leave home
6. Avoid touching your eyes, nose and mouth
7. Clean and disinfect surfaces frequently
8. Use antibacterial gel
9. Don't go to parties / reunions
10. Clean your hands with alcohol
11. Cover your mouth and nose when you cough or sneeze



## SYMPTOMS

























- The most common symptoms are the following: Fever
- Dry cough
- Tiredness

## Other less common symptoms include the following:

- The most common symptoms are the following: Fever
- Dry cough
- Tiredness

## Serious symptoms are as follows:

- Serious symptoms are as follows:
- Difficulty breathing or feeling short of breath
- Chest pain or pressure
- Inability to speak or move

Company	Type	Doses	Storage
 Oxford Uni-AstraZeneca	Viral vector (genetically modified virus)	x2 	 2 to 8°C (6 months)
 Moderna	RNA (part of virus genetic code)	x2 	 -25 to -15°C (7 months)
 Pfizer-BioNTech	RNA	x2 	 -80 to -60°C (6 months)
 Gamaleya (Sputnik V)	Viral vector	x2 	 -18.5°C (liquid form) 2 to 8°C (dry form)
 Sinovac (CoronaVac)	Inactivated virus (weakened virus)	x2 	 2 to 8°C
 Sinopharm	Inactivated virus (weakened virus)	x2 	 2 to 8°C
 Novavax	Protein-based	x2 	 2 to 8°C
 Janssen Johnson & Johnson	Viral vector	x1 	 2 to 8°C (3 months)

## What to do if you get infected

YOU SHOULD NOT LEAVE THE HOUSE, STAY IN QUARANTINE AND BE ISOLATED FROM PEOPLE TO AVOID INFECTING THEM, CONTINUE TO DISINFECT SURFACES, DO NOT SHARE FOOD AND MUCH LESS CONTAINERS WITH A HEALTHY PERSON, AVOID CONTACT WITH PEOPLE, WASH HANDS, USE A MASK, USE ANTIBACTERIAL GEL AND IN CASE THE SYMPTOMS ARE MORE SERIOUS SEEK MEDICAL ATTENTION URGENTLY.

### Chatbot de atención

#OperativoEscudo COVID-19

Estoy para ayudarte 24/7

[coronavirus.hidalgo.gob.mx](https://coronavirus.hidalgo.gob.mx)



## How did it arise?

CORONAVIRUSES WERE DISCOVERED IN THE 1960S. THEY ARE A GROUP OF VIRUSES THAT CAUSE DISEASES IN MAMMALS AND BIRDS. IN HUMANS, CORONAVIRUSES CAUSE RESPIRATORY TRACT INFECTIONS THAT ARE TYPICALLY MILD, SUCH AS THE COMMON COLD. THE NAME "CORONAVIRUS" IS DERIVED FROM THE LATIN CORONA, MEANING CROWN OR HALO. THE NAME REFERS TO THE CHARACTERISTIC APPEARANCE OF THE INFECTIVE FORM OF THE VIRUS, WHICH IS REMINISCENT OF A CROWN OR A SOLAR CORONA. IT IS BELIEVED THAT THE VIRUS WAS TRANSMITTED FROM ANIMALS TO HUMANS

## VACCINATION PROGRAM IN HIDALGO



KARLA RAMIREZ VARGAS  
MIGUEL GEOVANI MUÑOZ NÚÑEZ

## MORE INFORMATION

YOU CAN CONSULT MORE INFORMATION ABOUT COVID-19 ON THE OFFICIAL WEBSITE OF THE WHO

YOU CAN RECEIVE MORE INFORMATION ABOUT THE VACCINATION PROGRAM ON THE OFFICIAL PAGES OF YOUR STATE OR MUNICIPALITY CONSULT THE OFFICIAL WEBSITE OF THE HIDALGO HEALTH SECRETARIAT  
[HTTPS://WWW.WHO.INT/ES](https://www.who.int/es)

## MEASURE TO AVOID COVID -19

WASH HANDS FREQUENTLY, SNEEZE INTO THE SHOULDER, WEAR A MASK, USE ANTIBACTERIAL GEL, DO NOT SAY HELLO WITH KISSES OR HANDSHAKES, RESPECT SOCIAL DISTANCE, DO NOT LEAVE THE HOUSE, AVOID GOING TO PARTIES AND DO NOT HOLD MEETINGS.

## SYMPTOMS

THE SYMPTOMS OF THE NEW CORONAVIRUS SOME OF THE SYMPTOMS OF THE CORONAVIRUS ARE FEVER, COUGH, RUNNY NOSE, SORE THROAT, HEADACHE, AND TROUBLE BREATHING. THESE SYMPTOMS ARE VERY MUCH LIKE THOSE PEOPLE HAVE WITH A COLD OR THE FLU. THE VIRUS CAN BE MORE SERIOUS IN SOME PEOPLE, ESPECIALLY IF THEY ARE SICK OR HAVE HEALTH PROBLEMS.

MOST PEOPLE WHO GET SEVERELY INFECTED ARE THOSE WITH A WEAK IMMUNE SYSTEM, LIKE THE ELDERLY. THEY MAY DEVELOP MORE SERIOUS RESPIRATORY TRACT ILLNESSES THAT MAY BE FATAL. HOWEVER, EXPERTS RECOMMEND SEEKING MEDICAL CARE EARLY IF SYMPTOMS FEEL WORSE THAN A STANDARD COLD.

## VACCINATION PROGRAM

**Programa Nacional de Vacunación COVID-19**

A partir del 8 de marzo 2021, personas adultas mayores con 60 años en adelante de las alcaldías:

**MIGUEL HIDALGO**

**Macro Unidades Vacunadoras:**

- Campo Marte
- Benemérita Escuela Nacional de Maestros

Si tu apellido comienza con la letra:

<b>A y B</b> - 8 de marzo	<b>N, Ñ, O, P y Q</b> - 12 de marzo
<b>C, D y E</b> - 9 de marzo	<b>S, T, U y V</b> - 13 de marzo
<b>F, G y H</b> - 10 de marzo	<b>W, X, Y, Z, Sin Apellido Paterno y Rezagos</b> - 14 de marzo
<b>I, J, K, L y M</b> - 11 de marzo	

























Si no has recibido un mensaje con el día y hora de tu cita, consulta: [vacunacion.cdmx.gob.mx](https://vacunacion.cdmx.gob.mx) o llama a Locatel 55 5658-1111

Si aún no te registras, hazlo en: [mivacuna.salud.gob.mx](https://mivacuna.salud.gob.mx)

Cuando vayas a tu cita, presenta CURP e identificación (que muestre edad y residencia)

## VACCINES INFORMATION

A VACCINE IS A PREPARATION INTENDED TO GENERATE IMMUNITY ACQUIRED AGAINST A DISEASE, BY STIMULATING THE ANTIBODY PRODUCTION IT IS THE BEST WAY TO AVOID THE SPREAD OF PREVENTABLE DISEASES, THEY ARE A FUNDAMENTAL TOOL IN DISEASE PREVENTION.

Company	Type	Doses	Storage
 Oxford Uni- AstraZeneca	Viral vector (genetically modified virus)	x2 	 2 to 8°C (6 months)
 Moderna	RNA (part of virus genetic code)	x2 	 -25 to -15°C (7 months)
 Pfizer-BioNTech	RNA	x2 	 -80 to -60°C (6 months)
 Gamaleya (Sputnik V)	Viral vector	x2 	 -18.5°C (liquid form) 2 to 8°C (dry form)
 Sinovac (CoronaVac)	Inactivated virus (weakened virus)	x2 	 2 to 8°C
 Sinopharm	Inactivated virus (weakened virus)	x2 	 2 to 8°C
 Novavax	Protein-based	x2 	 2 to 8°C
 Janssen Johnson & Johnson	Viral vector	x1 	 2 to 8°C (3 months)

# Vaccination program in Hidalgo



**Ingles IV**

**Teacher: Pilar Amador Osnaya**

**Group: 4CV1**

**Student: Muñoz Lozano Abril**

## How did it arise?

Coronaviruses were discovered in the 1960s. They are a group of viruses that cause diseases in mammals and birds. In humans, coronaviruses cause respiratory tract infections that are typically mild, such as the common cold. The name "coronavirus" is derived from the Latin corona, meaning crown or halo. The name refers to the characteristic appearance of the infective form of the virus, which is reminiscent of a crown or a solar corona. It is believed that the virus was transmitted from animals to humans.

## What to do if you get.


In the first place, it is essential that the patient with Covid-19, coronavirus remains in an "exclusive use" room. If possible, the room should be well ventilated and residents should avoid possible drafts to the rest of the house.

Likewise, if you are infected with Covid-19, the home must have an identified contact telephone number for direct communication with health personnel. In relation to communication between family members, the use of intercoms, such as the one used with babies, or a mobile phone is recommended.

If you have a mild condition, call 800 0044 800 or 55 5658 1111 for guidance if the patient should be treated at home, go to a medical consultation

## Measure to avoid COVID - 19

- Clean your hands
- Wear mask
- Maintain at least a 1-metre distance between yourself and others
- Stay at home
- Not leave home
- Avoid touching your eyes, nose and mouth
- Clean and disinfect surfaces frequently
- Use antibacterial gel
- Don't go to parties / reunions
- Clean your hands with alcohol
- Cover your mouth and nose when you cough or sneeze..



# Symptoms

Some of the symptoms of the coronavirus are fever, cough, runny nose, sore throat, headache and

difficulty breathing. These symptoms are very similar to those of people with a cold or the flu. The


The virus can be more serious in some people, especially if they are sick or have health problems.

Most people who become seriously infected are those with a weak immune system, such as the elderly. They

you can develop more serious respiratory diseases that can be fatal.

However, experts recommend seeking medical attention early if symptoms feel worse than normal.

cold.



**COVID-19 coronavirus SYMPTOMS**

**COUGH**

**HIGH FEVER**

**SORE TROATH**

**HEADACHE**

# Vaccination program

On these dates it will vaccinate adults aged 50-59 years in Hidalgo


**Municipios con puntos de Vacunación**  
Semana del 18 al 21 de mayo

Pachuca de Soto	18 al 21 de mayo
Tulancingo	18 al 21 de mayo
San Agustín Tlaxiaca	18 al 20 de mayo
Tolcayuca	18 al 20 de mayo
Villa de Tezontepec	18 al 20 de mayo
Zapotlán	18 al 20 de mayo

Consulta las convocatorias en: **GobMXHidalgo**

**GOBIERNO DE MÉXICO** DELEGACIÓN DE PROGRAMAS PARA EL BIENESTAR HIDALGO

If you need to know more about schedules and dates, consult this page <http://www.hidalgo.gob.mx/>



Remember that vaccination is very important, protect yourself

# Vaccines information

What is a vaccine?

Substance composed of a suspension of attenuated or dead microorganisms that is introduced into the body to prevent and treat certain infectious diseases; it stimulates the formation of antibodies, thereby achieving immunization against these diseases.

- There are many types of covid-19 vaccines among them are the following.
- Pfizer/BioNTech with an efficiency of 95%
- Sputnik V with an efficiency of 91%
- COVAXIN with an efficiency of 81%
- AstraZeneca with an efficiency of 76%
- Sinovac with an efficiency of 50.38%
- The following are not yet authorized in Mexico:
  - Moderna with an efficiency of 95%
  - Sinopharm with an efficiency of 79%
  - Johnson/Johnson with an efficiency of 67%



# VACCINES INFORMATION


December 2020- February 2021, STAGE 1. COVID-19 front-line health personnel



February - May 2021, STAGE 2. People aged 60 or over and other health personnel.



May - June 2021, STAGE 3. People from 50 to 59 years old. And pregnant women aged 18 and over, from the third month of pregnancy.



June - July 2021, STAGE 4. People from 40 to 49 years old.



July - March 2022, STAGE 5. For the rest of the population.



First COVID-19 vaccination program in Tepeapulco Hgo. March, adults over 60 years old.

Día	Letra	Horario
Jueves 25 de marzo	A	08:00-10:30
	B	10:30-11:30
	C	11:30-15:00
	D	15:00-16:00
Viernes 26 de marzo	E, F	08:00-10:00
	G	10:00-13:00
	H	13:00-16:00
Lunes 29 de marzo	I, J, K	08:00-09:00
	L	09:00-12:00
	M	12:00-16:00
Martes 30 de marzo	N, Ñ, O	08:00-10:00
	P	10:00-12:00
	Q	12:00-12:30
	R	12:30-16:00
Miércoles 31 de marzo	S	08:00-11:00
	T, U	11:00-13:00
	V	13:00-15:30
	W, X, Y, Z	15:30-16:00

Second vaccination program COVID-19 second dose in Tepeapulco Hgo. May, over 60 years old.

DÍA	LETRA	HORARIO
Martes 4 de mayo	A	08:00-10:30
	B	10:30-11:30
	C	11:30-15:00
	D	15:00-16:00
Miércoles 5 de mayo	E, F	08:00-10:00
	G	10:00-13:00
	H	13:00-16:00
Jueves 6 de mayo	I, J, K	08:00-09:00
	L	09:00-12:00
	M	12:00-16:00
Viernes 7 de mayo	N, Ñ, O	08:00-10:00
	P	10:00-12:00
	Q	12:00-12:30
	R	12:30-16:00
Sábado 8 de mayo	S	08:00-11:00
	T, U	11:00-13:00
	V	13:00-15:30
	W, X, Y, Z	15:30-16:00

FECHA	PRIMER LETRA DEL APELLIDO PATERNO	HORARIO
25 de mayo	A	08:00 A 9:30
	B	9:30 A 11:00
	C	11:00 A 12:30
	D	12:30 A 14:00
	E	14:00 A 16:00
26 de mayo	F	08:00 A 09:30
	G	09:30 A 11:00
	H	11:00 A 12:30
	I, J, K	12:30 A 14:00
	L	14:00 A 16:00
27 de mayo	M	08:00 A 09:30
	N, Ñ,	09:30 A 11:00
	O	11:00 A 12:30
	P	12:30 A 14:00
	Q	14:00 A 16:00
28 de mayo	R	08:00 A 09:30
	S	09:30 A 11:00
	T, U	11:00 A 12:30
	V	12:30 A 14:00
	W, X, Y, Z	14:00 A 16:00

Program for people from 50 to 59 years old




VACCINATION PROGRAM IN HIDALGO



Cuéllar Diaz Aylen  
Hernández Hernández Ceani Marian  
Rosas Flores Ana Karen

# HOW DID IT ARISE?

They are a group of viruses that cause diseases in mammals and birds. On December 31, 2019, the World Health Organization (WHO) received reports of the presence of pneumonia, of unknown origin, in the city of Wuhan, in China. Quickly, in early January, the authorities of this country identified the cause as a new strain of coronavirus.



As for its beginning, the possible animal origin of COVID-19 has not yet been confirmed, it is said that it is due to a bat but it is not 100% confirmed.

# WHAT TO DO IF YOU GET INFECTED (PHONE NUMBERS, DOUBTS)



## NUMBERS

800 00 44 800. Citizen service number of the Health Sector.

911 national emergency line.  
55 4000 1000 ISSSTE Tel

## DUDAS

In <https://coronavirus.gob.mx/>




<https://coronavirus.onu.org.mx/coronavirus/preguntas-y-dudas-frecuentes>  
<https://coronavirus.gob.mx/preguntas-frecuentes/#:~:text=Si%20tienes%20dudas%20o%20necesitas,al%20800%2000%2044%20800.>

[https://www.who.int/es/emergencies/diseases/novel-coronavirus-2019/advice-for-public/q-a-coronaviruses?gclid=Cj0KCQjw--GFBhDeARIsACH\\_kdbewMFMsvj1n0F-hd18tujGWPXVtpVsykpMVyPsQ7pAH3mrQaU7RyUaAqjHEALw\\_wcB](https://www.who.int/es/emergencies/diseases/novel-coronavirus-2019/advice-for-public/q-a-coronaviruses?gclid=Cj0KCQjw--GFBhDeARIsACH_kdbewMFMsvj1n0F-hd18tujGWPXVtpVsykpMVyPsQ7pAH3mrQaU7RyUaAqjHEALw_wcB)

# MORE INFORMATION

For information and health care: medical health services, check the emergency numbers or Health Center Hotline




If any member of your family is infected, stock up on supplies such as regular medications, medical masks, cleaners and disinfectants.

For more information on covid-19, see the numbers provided and the pages.




# MEASURE TO AVOID COVID -19



You should wear a mask



You should be two meters away the people



You should wash your hands very often



You should stay home



You should use antibacterial gel



# SYMPTOMS

Fever

Cough

Runny nose

Sore throat

Headache

Trouble breathing



# VACCINATION PROGRAM (DATES, SCHEDULES, MORE INFORMATION)

For more information, see <https://www.capital21.cdmx.gob.mx/noticias/?p=6322>

<https://www.hidalgo.gob.mx/>





# VACCINATION PROGRAM IN HIDALGO



## HOW DID IT ARISE?

This mission started with the people who has 60 years here in the state... At April 30th

After that the process started at May with people of less age... and actually they are applying the vaccine at 40-49 years people



## WHAT TO DO IF YOU GET INFECTED?

First of all if you have symptoms call to 911 and after that stay as possible at home,

keep a distance between another persons about 2 or 3 meters, if you think you're infected then make a test for confirm that. Clean your hands, use antibacterial gel and don't share personal items with nobody

## MORE INFORMATION

Masks can help prevent people who wear them from spreading the virus and spreading it to others. However, they do not protect against COVID-19 alone, but must be combined with physical distancing and hand hygiene. Follow the recommendations of public health agencies in your area.

COVID-19 affects in different ways depending on each person. Most people who are infected have symptoms of mild or moderate intensity, and they recover without the need for hospitalization.

## MEASURE TO AVOID COVID-19

- CLEAN YOUR HANDS
- USE MASK
- STAY AT HOME
- USE ANTIBACTERIAL GEL
- COVER YOUR MOUTH AND NOSE WHEN YOU COUGH OR SNEEZE
- RESPECT THE SOCIAL DISTANCING
- DON'T GO TO PARTIES AND REUNIONS
- DON'T KISS OR SHAKE HANDS
- DON'T LEAVE HOME

# SYMPTOMS

THE MOST COMMON SYMPTOMS ARE THE FOLLOWING:

- Fever
- Dry cough
- Tiredness

OTHER LESS COMMON SYMPTOMS INCLUDE THE FOLLOWING:

- Aches and pains
- Throat pain
- Diarrhea
- Conjunctivitis
- Headache
- Loss of sense of smell or taste
- Skin rashes or loss of color on the fingers or toes

SERIOUS SYMPTOMS ARE AS FOLLOWS:

- Difficulty breathing or feeling short of breath
- Chest pain or pressure
- Inability to speak or move



# VACCINATION PROGRAM

## DATES

The vaccination was carried out from May 25 to 28, 2021 only for people from 50 to 59 years old and it is said that people between 40 to 49 years old begin the first week of June

## SCHEDULES

Depend on the neighborhood where you live, but they started from 8 in the morning until 5 in the afternoon.

## IMPORTANT INFORMATION

You have to come with your CURP, voter ID and the vaccination record to register on the platform.

If you have ever had severe allergic reactions to any of the ingredients in COVID-19 vaccines, if you are ill or have any symptoms of COVID-19 (in that case, you can get vaccinated once you have recovered as long as your doctor give you approval)

# VACCINES INFORMATION

- CANSINO:**
- PEOPLE OVER 65 YEARS
  - VIRAL VECTOR
  - A DOSE
  - 65.7% EFFECTIVENESS
  - NO SERIOUS SIDE EFFECTS



- PFIZER**
- PEOPLE OVER 16 YEARS
  - MESSENGER RNA
  - TWO DOSE
  - 94.7% EFFECTIVENESS
  - CASES OF FACIAL PARALYSIS

- ASTRA ZENECA**
- PEOPLE OVER 18 YEARS
  - VIRAL VECTOR
  - TWO DOSES
  - 70% EFFECTIVENESS
  - THERE HAVE BEEN CASES OF THROMBOSIS

- PFIZER**
- PEOPLE OVER 16 YEARS
  - MESSENGER RNA
  - TWO DOSES
  - 94.7% EFFECTIVENESS
  - CASES OF FACIAL PARALYSIS

- MODERNA**
- PEOPLE OVER 16 YEAR
  - MESSENGER RNA
  - TWO DOSES
  - 94% EFFECTIVENESS
  - NO SERIOUS SIDE EFFECTS

- SPUTNIK V**
- FOR HEALTH PERSONNEL
  - VIRAL VECTOR
  - TWO DOSE
  - 97.6% EFFECTIVENESS
  - NO SERIOUS SIDE EFFECTS

- JANSSEN**
- PEOPLE OVER 18 YEARS
  - VIRAL VECTOR
  - A DOSE
  - 63.3% EFFECTIVENESS




# WHAT TO DO IF YOU GET INFECTED

- Do not leave your home except to seek medical attention.
- Do not visit public areas.
- Stay in a certain room and away from other people and pets in your home.
- Rest and stay hydrated.
- Avoid public transportation, carpooling, and taxis




# HOW DID IT ARISE?

*The first has its origin in bats, while MERS-CoV came from camels or dromedaries, who in turn transmitted the virus to humans through zoonoses.*



# "COVID VACCINE"

- ARAGON FERNANDEZ YENNY
- MOHEDANO RODRIGUEZ KARLA ALIZON
- SALGADO NARVAEZ LILITH SAMARIA
- SANCHEZ HRNANDEZ DANA ESTEFANIA
- PONCE PINEDA ANGEL JESUAL
- 4CV1 INGLES PROYECT



# SYMPTOMS



- Tiredness
- Headache
- Muscle pain
- Shaking chills
- Fever
- Sickness



# MEASURE TO AVOID COVID -19

*To prevent the spread of COVID-19:*

- Wash your hands frequently. Use soap and water or an alcohol-based hand sanitizer. Keep a safe distance from people who cough or sneeze.
3. Use a mask when it is not possible to maintain physical distance.
4. Don't touch your eyes, nose, or mouth.
5. When you cough or sneeze, cover your nose and mouth with a bent elbow or a tissue.
6. If you are not feeling well, stay home.




# MORE INFORMATION

- You should wear a mask that covers your nose and mouth if you must be around other people or animals, including pets (even at home).
- Cover your mouth and nose with a tissue when coughing or sneezing.
- Throw away used tissues in a bagged trash can.
- Wash your hands immediately with soap and water for at least 20 seconds. If soap and water are not available, clean them with an alcohol-based hand sanitizer that contains at least 60% alcohol.

# DIRECT HITS

- Excessive deaths
- Downturn of the economy
- Excess waste
- Food shortage



# VACCINES INFORMATION

-Moderna's COVID-19 vaccine is 94 percent effective in fighting the COVID-19 virus.

This vaccine is for people over 18 years of age

-The Pfizer-BioNTech vaccine against COVID-19 is 95 percent effective in fighting the COVID-19 virus. This vaccine is for people 16 years of age and older. Modern vaccine against COVID-19.

-COVID-19 vaccine from Janssen / Johnson & Johnson.

This vaccine is 66 percent effective in preventing infection . This vaccine is for people over 18 years of age. It's just an injection.



# VACCINATION PROGRAM

Los CDC no pueden programar citas de vacunación.

- Los CDC no pueden ayudarlo a confirmar, reprogramar o cancelar su cita de vacunación.

Si necesita confirmar, reprogramar o cancelar una cita para vacunarse contra COVID-19, comuníquese con el centro donde programó su cita. Si necesita programar una cita para su segunda dosis y el centro donde recibió la primera dosis ya no ofrece la vacuna COVID-19, es posible que pueda recibir su segunda dosis en otro centro.

Comuníquese con el departamento de salud local o estatal para obtener ayuda o busque otros centros de vacunación COVID-19 en su área.